

Capital Fireplaces' has been established for almost 20 years, and is one of the UK's leading trade suppliers of Fireplaces, Fires and Stoves.

Having grown from the humble beginnings of a traditional family business we take pride in maintaining high levels of customer service and are renowned for both quality and design.

Our range combines supreme craftsmanship with style and elegance. The breadth and variety of fireplace products should suit all tastes and budgets. From cottage bedrooms to elegant drawing rooms, farmhouses to flats, there is a fireplace and a fire to complement every home.

Our latest innovations have focussed on the need to reduce the running costs and adverse environmental impact of burning the variety of fuels that our products are suitable for. We believe that if our products use fossil fuels that we should use those fuels as sparingly as possible by designing our burning units to be as efficient as possible. If we use renewable fuels across our range those products will be designed to ensure the environmental impact is kept to a minimum.

We are accomplishing this goal in three key areas:

### greencast

This new brand was launched in 2010, to deliver efficient gas fires within more traditional and sometimes ornate cast iron fireplaces. We have sought from the design stage to combine the two critical components, the fires and the cast iron surrounds in unison to deliver an aesthetically pleasing integrated appliance that offers you a choice of gas fire and one of the best fuel efficiencies for any integrated appliance on the market.

### Cleanburn Stoves

To burn fuel in a smoke controlled area the law determines that either the fuel should be smokeless or the appliance should be approved by Defra (The Department for Environment, Food and Rural Affairs) normally these appliances are approved by Defra for burning kiln dried wood. Some of our Defra approved products are capable of burning both kiln dried wood and anthracite in smoke control areas, a dual fuel use most cleanburn products cannot offer.

### Higher Efficiency Gas Fires

We have extended our range of gas fires, suitable for numerous applications, to increase the choice that allows you to burn gas more efficiently and thereby reduce the running costs of your fire. Whether you are choosing to just replace your fire or carry out a complete refurbishment we are confident that we can offer you a product that will cost you less to run than your current old fire.



# Natural Stone Mantels

## Ashcombe 54" in Agean Limestone

### Backpanel

Merrick highlight cast iron

### Fire

Glass fronted gas convector (slide control)  
Flare Fireframe polished

### Hearth

Honed granite

### Fuel options for Backpanels









Higher Efficiency Gas Fire





# Natural Stone Mantels

## Balham 56" in Agean Limestone

### Backpanel

Provident highlight cast iron

### Fire

Glass fronted gas convector (slide control)  
Provident Fireframe highlight

### Hearth

Polished granite

### Fuel options for Backpanels





# Natural Stone Mantels

## Balham 56" in Liberty White Marble

### Chamber

Natural reeded fireboard

### Stove

Sirius 405 Classic Cleanburn  
(Defra approved for burning wood in smoke control areas)

### Hearth

Honed granite (slabbed for multi-fuel)

### Fuel options for Sirius Stoves













# Natural Stone Mantels

## Chalfont 56" in Agean Limestone

### Steel Plate

Capital Classic Fascia Plate brushed steel (black steel back plate)

### Fire

Real Wood with Capital Plate fret black

### Hearth

Honed granite (Slabbed for multi-fuel)

### Fuel options for Steel Plates





# Natural Stone Mantels

## Chancery 52" in Travertine Marble

### Arch

Wandsworth highlight cast iron arch

### Fire

Bespoke gas burner

### Hearth

Polished granite

### Fuel options for Arches









# Natural Stone Mantels

## Chancery 52" in Agean Limestone

### Backpanel

Polished granite slips

### Stove

Sirius 450 Contemporary Inset Cleanburn  
(Defra approved for burning wood and anthracite in a smoke control area)

### Hearth

Polished granite

### Fuel options for Sirius Stoves









# Natural Stone Mantels

## Chancery 56" in Travertine Marble

### Chamber

London Stock brick

### Stove

Sirius 545 original

### Hearth

Slate (slabbed for multi-fuel)

### Fuel options for Sirius Stoves















# Natural Stone Mantels

## Everley 48" in Agean Limestone

### Arch

Wandsworth 14" highlight cast iron

### Fire

Bespoke gas burner

### Hearth

Polished granite

### Fuel options Arches





# Natural Stone Mantels

## Everley 48" in Travertine Marble

### Backpanel

Polished granite slips

### Stove

Sirius 450 Contemporary Inset Cleanburn  
(Defra approved for burning wood and anthracite in a smoke control area)

### Hearth

Polished granite slabbed for multi-fuel

### Firetools

Tee set

### Fuel options for Sirius Stoves









# Natural Stone Mantels

## Grosvenor 56" in Carrara Marble

(also available in 60")

### Steel Plate

Capital Classic Fascia Plate brushed steel (steel back plate)

### Fire

Decorative open fronted gas, Capital Plate trim brushed steel and Capital Plate fret highlight

### Hearth

Honed granite

### Fuel options for Steel Plates



Grosvenor 60" Carrara Marble (above)









# Natural Stone Mantels

## Grosvenor 56" in Liberty White Marble

### Hob

The Plain Hob Grate brushed steel

### Fire

Bespoke gas burner

### Hearth

Polished granite

### Fuel options for Hobs









# Natural Stone Mantels

## Hanwell 54" in Agean Limestone

### Backpanel

Oxford highlight cast iron

### Fire

Glass fronted gas convector (slide control)  
Capella Fireframe polished

### Hearth

Polished granite

### Fuel options for Backpanels





Higher Efficiency Gas Fire









# Natural Stone Mantels

## Hanwell 54" in Travertine Marble

### Chamber

London Stock brick

### Stove

Sirius 450 Contemporary Cleanburn.  
(Defra approved for burning wood and anthracite in a smoke control area)

### Hearth

Polished granite (slabbed for multi-fuel)

### Fuel options for Sirius Stoves





# Natural Stone Mantels

## Hersham 48" in Agean Limestone

### Arch

Wandsworth 14" black cast iron


### Fire

Real wood

### Hearth

Polished granite (slabbed for multi-fuel)

### Fuel options for Arches









# Natural Stone Mantels

## Hersham 54" in Agean Limestone

### Arch

Wandsworth highlight cast iron

### Fire

Bespoke gas burner

### Hearth

Polished granite

### Fuel options for Arches



### Higher Efficiency Gas Fire



### Insert option (above)

Provident cast iron backpanel  
Glass fronted gas convector fire (slide control)  
Provident Fireframe highlight















# Natural Stone Mantels

## Hersham 54" in Carrara Marble

(also available in Liberty White Marble)

### Hob

The Plain Hob Grate brushed steel

### Fire

Real wood

### Hearth

Honed granite (slabbed for multi-fuel)

### Fuel options for Hobs



Hersham 54" Liberty White Marble (above)



# Natural Stone Mantels

## Kensington 56" in Agean Limestone

### Steel Plate

Capital Classic Fascia Plate brushed steel (brushed steel back plate)

### Fire

Decorative open fronted gas, Capital Plate trim brushed steel and Capital Plate fret highlight

### Hearth

Agean Limestone

### Fuel options for Steel Plates















# Natural Stone Mantels

## Kensington 56" in Liberty White Marble

### Arch

Carlisle black cast iron

### Fire

Shown without a fire (decorative lights not included)

### Hearth

Honed granite (slabbed for multi-fuel)

### Fuel options for Arches





# Natural Stone Mantels

## Mulholland 54" in Agean Limestone

(Shown without cushion fitted)

### Tiled Insert

Nouveau highlight cast iron with Tulip cast iron tile panels

### Fire

Bespoke gas burner



### Hearth

Honed granite

### Fuel options for Tiled Inserts



### Insert Option (above)

 **greencast** Wandsworth highlight cast iron arch  
 **greencast** balanced flue gas fire










# Natural Stone Mantels

## Mulholland 54" in Travertine Marble

### Arch

 **greencast** Wandsworth highlight cast iron

### Fire

 **greencast HE** Balanced Flue gas  
(Open fronted gas convector, Glass Fronted gas convector & Slimline Open & Glass Fronted gas convector models are also available)

### Hearth

Polished granite

### Fuel options for **greencast**









# Natural Stone Mantels

## Regent 57" in Agean Limestone

### Arch

Wandsworth black cast iron (large burning area)

### Fire

Real wood

### Hearth

Slate hearth (slabbed for multi-fuel)

### Fuel options for Arches













# Natural Stone Mantels

## Regent 57” in Carrara Marble

### Fascia Plate & Chamber

Capital Plain Fascia Plate brushed steel with glass slip & Natural Reeded fireboard

### Firebasket

Bamburgh full polished with bespoke gas burner

### Hearth

Polished granite

### Fuel options for Firebaskets





# Natural Stone Mantels

## Regent 57" in Travertine Marble

### Tiled Insert

Nouveau black cast iron

### Fire

Real wood

### Hearth

Polished granite (slabbed for multi-fuel)

### Fuel options for Tiled Inserts













# Natural Stone Mantels

## Sandringham 54" in Carrara Marble

### Arch

Wandsworth full polished cast iron

### Fire

Bespoke gas burner

### Hearth

Waterfall polished granite

### Fuel options for Arches





# Natural Stone Mantels

## Sandringham 54" in Liberty White Marble

### Arch

Carlisle highlight cast iron

### Fire

Bespoke gas burner

### Hearth

Slate

### Fire tools

Sienna

### Fuel options for Arches















# Natural Stone Mantels

## Swinford 48" in Agean Limestone

### Chamber

Rustic brick

### Stove

Sirius 405 Original  
(Cleanburn version also available, Defra approved  
for burning wood in a smoke control area)

### Hearth

Honed granite (slabbed for multi-fuel)

### Fuel options for Sirius Stoves





# Oak Mantels

## Byron 46" Solid Oak

(option with under mantel ambient lighting available)

### Backpanel

Polished granite

### Fire

Glass fronted gas convector (slide control)  
Provident Fireframe highlight

### Hearth

Polished granite

### Fuel options for Backpanels



Close up shown with ambient lighting





Higher Efficiency Gas Fire











# Oak Mantels

## Byron 54” Solid Oak

(option with under mantel ambient lighting available)

### Mirror

Linear in solid oak

### Arch

Wandsworth black cast iron

### Fire

Bespoke gas burner

### Hearth

Polished granite

### Fuel options for Arches



Close up shown with ambient lighting





# Oak Mantels

## Copgrove 54" Solid Oak

(option with under mantel ambient lighting available)

### Mirror

Edge in solid oak

### Backpanel

Oxford highlight cast iron

### Fire

Open fronted gas convector (manual control)  
Capella Fireframe polished

### Hearth

Polished granite

### Fuel options for Backpanels



## Copgrove 54" Solid Oak with Ambient Lighting (above)

Mocha Beige back panel  
Gradient glass fronted gas convector (slide control) with ceramic coals, satin steel trim & 16" Bauhaus fret polished





Higher Efficiency Gas Fire





# Oak Mantels

## Levisham 54" Solid Oak

### Backpanel

Polished granite

### Fire

Open fronted gas convector (manual control)  
Capella Fireframe Bronze finish

### Hearth

Polished granite

### Fuel options for Backpanels















# Cast Iron Fireplaces

## Fairburn 36" in Black

### Fire

Real wood (larger burning area)

### Hearth

Polished granite (slabbed for multi-fuel)

### Fuel options for Cast Iron Fireplaces



ELECTRIC



GAS



MULTI-FUEL





# Cast Iron Fireplaces

## Fairburn 36" in Full Polished

### Fire

Bespoke gas burner

### Hearth

Polished granite

### Fuel options for Cast Iron Fireplaces









# Cast Iron Fireplaces

## Fairburn 36" in Highlight

### Fire

Bespoke gas burner

### Hearth

Polished granite

### Fuel options for Cast Iron Fireplaces














# Cast Iron Fireplaces

## **greencast** Fairburn 36" in Highlight

### Fire

 **greencast HE** open fronted gas convector  
(Balanced Flue gas, Glass Fronted gas convector & Slimline Open & Glass Fronted gas convector models are also available)

### Hearth

Polished granite

### Fuel options for **greencast**











# Cast Iron Fireplaces

## Fairburn 48" in Black

### Fire

Real wood (larger burning area)

### Hearth

Polished granite (slabbed for multi-fuel)

### Fuel options for Cast Iron Fireplaces





# Cast Iron Fireplaces

## Fairburn 48" in Full Polished

### Fire

Bespoke gas burner

### Hearth

Polished granite

### Fuel options for Cast Iron Fireplaces









# Cast Iron Fireplaces

## Harewood 36" in Black

### Fire

Real wood

### Hearth

Basalt Tiled (slabbed for multi-fuel)

### Fuel options for Cast Iron Fireplaces









# Cast Iron Fireplaces

## Harewood 36" in Full Polished

### Fire

Bespoke gas burner

### Hearth

Honed granite

### Fuel options for Cast Iron Fireplaces













# Cast Iron Fireplaces

## Harewood 36" in Highlight

### Fire

Bespoke gas burner

### Hearth

Polished granite

### Fuel options for Cast Iron Fireplaces





## Mantels at a glance



**THE ASHCOMBE 54"**

AVAILABLE IN AGEAN LIMESTONE



**THE BALHAM 56"**

AVAILABLE IN AGEAN LIMESTONE & LIBERTY WHITE MARBLE



**THE CHALFONT 56"**

AVAILABLE IN AGEAN LIMESTONE



**THE CHANCERY 52"**

AVAILABLE IN AGEAN LIMESTONE & TRAVERTINE MARBLE



**THE CHANCERY 56"**

AVAILABLE IN TRAVERTINE MARBLE



**THE EVERLEY 48"**

AVAILABLE IN AGEAN LIMESTONE & TRAVERTINE MARBLE



**THE GROSVENOR 56"**

AVAILABLE IN CARRARA MARBLE & LIBERTY WHITE



**THE GROSVENOR 60"**

AVAILABLE IN CARRARA MARBLE



**THE HANWELL 54"**

AVAILABLE IN AGEAN LIMESTONE & TRAVERTINE MARBLE

	A	B	C	D	E	F	G	H
<b>ASHCOMBE 54"</b>	1370	1090	915	900	1275	190	75	145
<b>BALHAM 56"</b>	1420	1145	915	915	1305	230	75	165
<b>BYRON 46"</b>	1170	1095	830	900	1250	205	25	150
<b>BYRON 54"</b>	1365	1135	915	915	1110	205	25	155
<b>CHALFONT 56"</b>	1420	1155	915	915	1325	220	75	180
<b>CHALFONT 60"</b>	1525	1230	915	915	1430	220	75	180
<b>CHANCERY 52"</b>	1320	1120	915	915	1330	170	75	175
<b>CHANCERY 56"</b>	1420	1170	915	915	1430	185	75	185
<b>COPGROVE 54"</b>	1370	1140	915	915	1275	195	25	155
<b>EVERLEY 48"</b>	1220	1090	730	860	1115	180	75	150
<b>GROSVENOR 56"</b>	1420	1160	915	915	1295	250	75	145

	A	B	C	D	E	F	G	H
<b>GROSVENOR 60"</b>	1525	1175	915	915	1395	275	75	165
<b>HANWELL 54"</b>	1370	1145	915	915	1305	190	75	155
<b>HERSHAM 48"</b>	1220	1080	785	880	1115	180	75	140
<b>HERSHAM 54"</b>	1370	1115	915	915	1305	180	75	140
<b>KENSINGTON 56"</b>	1420	1180	915	915	1285	200	75	130
<b>LEVISHAM 54"</b>	1370	1060	830	830	1250	180	25	120
<b>MULHOLLAND 54"</b>	1380	1265	915	915	1255	170	75	145
<b>REGENT 57"</b>	1450	1130	915	915	1340	230	75	180
<b>SANDRINGHAM 54"</b>	1370	1145	915	915	1285	260	75	150
<b>SWINFORD 48"</b>	1220	1030	720	810	1120	200	75	150



# Mantels at a glance



**THE HERSHAM 48"**  
AVAILABLE IN AGEAN LIMESTONE



**THE HERSHAM 54"**  
AVAILABLE IN AGEAN LIMESTONE,  
CARRARA MARBLE &  
LIBERTY WHITE MARBLE



**THE KENSINGTON 56"**  
AVAILABLE IN AGEAN LIMESTONE &  
LIBERTY WHITE MARBLE



**THE MULLHOLLAND 54"**  
AVAILABLE IN AGEAN LIMESTONE &  
TRAVERTINE MARBLE



**THE REGENT 57"**  
AVAILABLE IN AGEAN LIMESTONE &  
CARRARA MARBLE



**THE SANDRINGHAM 54"**  
AVAILABLE IN CARRARA MARBLE  
& LIBERTY WHITE MARBLE




**THE SWINFORD 48"**  
AVAILABLE IN AGEAN LIMESTONE



**THE BYRON 46"**  
AVAILABLE IN SOLID OAK



**THE BYRON 54'**  
AVAILABLE IN SOLID OAK



**THE COPGROVE 54"**  
AVAILABLE IN SOLID OAK



**THE LEVISHAM 54"**  
AVAILABLE IN SOLID OAK

All measurements in mm. Overall height does not include hearth



# Cast iron fireplaces at a glance



**FAIRBURN 36"**  
BLACK



**FAIRBURN 36"**  
FULL POLISHED



**FAIRBURN 36"**  
HIGHLIGHT



**FAIRBURN 48"**  
BLACK



**FAIRBURN 48"**  
FULL POLISHED




**HAREWOOD 36"**  
BLACK



**HAREWOOD 36"**  
FULL POLISHED



**HAREWOOD 36"**  
HIGHLIGHT



	A	B	C	D	E	F	G	H
<b>FAIRBURN 36"</b>	780	1000	455	655	595	730	N/A	915
<b>FAIRBURN 48"</b>	1015	1185	450	655	745	805	N/A	1200
<b>HAREWOOD</b>	780	1015	410	550	640	805	N/A	915



## greencast at a glance

This new brand was launched in 2010, to deliver efficient gas fires within more traditional and sometimes ornate cast iron fireplaces.

We have sought from the design stage to combine the two critical components, the fires and the cast iron surrounds in unison to deliver an aesthetically pleasing integrated appliance that offers you a choice of gas fire and one of the best fuel efficiencies for any integrated appliance on the market.




 greencast FAIRBURN 36" HIGHLIGHT



 greencast WANDSWORTH HIGHLIGHT CAST IRON ARCH

FIRE	INPUT	OUT PUT	DEPTH	EFFICIENCY	CERAMICS
					COAL
FULL DEPTH OPEN FRONTED CONVECTOR	6.9kW	3.5kW	255	55.8%	✓
SLIMLINE OPEN FRONTED CONVECTOR	6.5kW	2.6kW	125	44.0%	✓
FULL DEPTH GLASS FRONTED CONVECTOR	5.0kW	2.9kW	255	64.2%	✓
SLIMLINE GLASS FRONTED CONVECTOR	4.0kW	2.7kW	125	74.0%	✓
BALANCED FLUE	4.6kW	3.9kW	212	94.0%	✓

### Cast Iron Fireplace



	A	B	C	D	E	F	G	H
GREENCAST FAIRBURN 36"	825	1005	455	690	575	745	n/a	915
GREENCAST WANDSWORTH	940	940	455	690	780	855	75	n/a



# Arches at a glance



CARLISLE BLACK



CARLISLE HIGHLIGHT



WANDSWORTH BLACK



WANDSWORTH FULL POLISHED



WANDSWORTH HIGHLIGHT





WANDSWORTH 14" BLACK



WANDSWORTH 14" HIGHLIGHT

	A	B	C	D	E	F	G	I	J	K
CARLISLE	940	940	405	645	825	850	70	430	710	180
WANDSWORTH	1016	1016	450	665	795	835	80	530	730	190
WANDSWORTH 14"	940	940	365	665	675	820	75	440	730	160







# Cast Iron backpanels at a glance




## Steel plates at a glance

STEEL PLATES COME IN TWO SEPARATE OVERLAPPING PIECES




CAPITAL PLAIN FASCIA PLATE BRUSHED STEEL  
(BLACK STEEL BACK PLATE)  
SUITABLE FOR USE WITH MULTI-FUEL



CAPITAL PLAIN FASCIA PLATE  
BRUSHED STEEL  
(BRUSHED STEEL BACK PLATE)




CAPITAL CLASSIC FASCIA PLATE BRUSHED STEEL  
(BLACK STEEL BACK PLATE)  
SUITABLE FOR USE WITH MULTI-FUEL



CAPITAL CLASSIC FASCIA PLATE  
BRUSHED STEEL  
(BRUSHED STEEL BACK PLATE)

### Insert



	A	B	C	D	E	F	G
CAPITAL CLASSIC PLATE	980	980	420	570	840	875	n/a
CAPITAL PLAIN PLATE	980	980	420	575	660	780	n/a
MERRICK	940	940	420	575	860	865	75
OXFORD	940	940	420	575	865	865	75
PROVIDENT	940	940	420	575	805	850	65



# Hobs at a glance



CLASSIC HOB



PLAIN HOB


# Tiled Inserts at a glance



NOUVEAU BLACK



NOUVEAU HIGHLIGHT



	A	B	C	D	E	F	G	I	J	K
CLASSIC HOB	980	980	660	780	865	890	10	745*	940**	260***
PLAIN HOB	980	980	660	780	690	795	10	745*	940**	260***
NOUVEAU	940	940	410	575	841	890	75	470	615	200

\* allows 30mm each side for tolerances and backfilling  
 \*\* allows 30mm clearance under lintol and 50mm hearth  
 \*\*\* allows a gap of 30mm for back filling and to take up tolerance. This dimension assumes that the hob is fitted in a 75mm rebated mantel

# Chambers at a glance




LONDON STOCK

1 x BACK PIECE -1015mm(W) x 1000mm(H)  
 & 2 x SIDE PIECES - 450mm(W) x 1000mm(H)



RUSTIC BRICK

1 x BACK PIECE -1015mm(W) x 1000mm(H)  
 & 2 x SIDE PIECES - 450mm(W) x 1000mm(H)



NATURAL REEDED  
 FIREBOARD

PACK OF 2  
 610mm(W) x 100mm (H) x 25mm(D)  
 (2 PACKS REQUIRED TO MAKE A CHAMBER)



# Tiles at a glance



## Sirius stoves at a glance



**SIRIUS 405  
ORIGINAL**



**SIRIUS 545  
ORIGINAL**



**SIRIUS 645  
ORIGINAL**

## Sirius Cleanburn Stoves at a glance



**SIRIUS 405  
ORIGINAL**



**SIRIUS 405  
CLASSIC**



**SIRIUS 545  
CLASSIC**



**SIRIUS 450  
CONTEMPORARY INSET**



**SIRIUS 450  
CONTEMPORARY**



**SIRIUS 750 CONTEMPORARY**  
NB\* CAN BE ROOM SEALED WITH NO NEED FOR A VENT

	WIDTH	HEIGHT	DEPTH	TOP	REAR	FLUE DIAMETER	OUTPUT	EFFICIENCY	DEFRA APPROVED	CTR OF FLUE TO BACK OF STOVE	VENT REQUIRED
<b>SIRIUS 405 ORIGINAL</b>	405	560	375	✓	✓	125	4.9kW	78%	✗	100	✗
<b>SIRIUS 545 ORIGINAL</b>	545	610	365	✓	✓	150	8.4kW	79%	✗	110	✓
<b>SIRIUS 645 ORIGINAL</b>	645	640	415	✓	✓	150	10.5kW	76%	✗	120	✓
<b>SIRIUS 405 ORIGINAL CLEANBURN</b>	405	540	375	✓	✓	125	4.9kW	78%	✓	100	✗
<b>SIRIUS 405 CLASSIC CLEANBURN</b>	420	595	370	✓	✓	125	4.9kW	78%	✓	105	✗
<b>SIRIUS 545 CLASSIC CLEANBURN</b>	580	610	365	✓	✓	150	8.4kW	67%	✓	110	✓
<b>SIRIUS 450 CONTEMPORARY INSET</b>	470	590	410	ANGLED		125	4.5kW	81%	✓	N/A	✗
<b>SIRIUS 450 CONTEMPORARY CLEANBURN</b>	410	625	290	✓	✓	125	4.5kW	81%	✓	95	✗
<b>SIRIUS 750 CONTEMPORARY CLEANBURN (ROOM SEALED)</b>	530	860	320	✓	✓	150	7.5kW	80%	✓	110	✗ (room sealed)

All the stoves have been CE approved to EN13240

## Firebaskets



**ARUNDEL**  
AVAILABLE IN BLACK  
& FULL POLISHED



**BAMBURGH**  
AVAILABLE IN BLACK & FULL  
POLISHED (WITH OR WITHOUT BACK)



**CLIFFORD**  
AVAILABLE IN BLACK &  
FULL POLISHED





	WIDTH	DEPTH	HEIGHT
<b>ARUNDEL</b>	420	275	396
<b>BAMBURGH - NO BACK</b>	450	280	240
<b>BAMBURGH - WITH BACK</b>	450	290	395
<b>CLIFFORD</b>	425	280	375



# Fires

**Gas Fires** - Gas fires are similar to gas boilers in that they must be fitted by appropriately qualified and registered installers (GAS SAFE - formerly known as CORGI) and must be serviced regularly by a suitably qualified and registered person.

Table 1

Table 1															
															
<b>CLASS 1</b> Commonly in older houses, earlier than 1960. The Class 1 chimney is identifiable by 7" (180mm) or greater diameter flue. The existing chimney must be structurally sound, please check before the installation of a new fireplace.				<b>CLASS 2</b> Either an older house where the existing chimney has been lined by a proprietary steel flue or a newer house with a steel flue built in. This chimney type is identifiable by a 5" (130 mm) diameter flue and a steel flue terminal.				<b>PRE-CAST FLUE</b> Modern houses generally later than 1960 often have a pre-cast concrete chimney system, identifiable by a rectangular box section flue and a terminal, as illustrated in the picture.				<b>NO CHIMNEY</b> Modern houses often have no chimney. You can use a modern decorative electric fire, either with no heat for aesthetics or an efficient fire with up to 2kW heat output.			
NG		LPG		ELECTRIC		NG		LPG		ELECTRIC		BALANCED FLUE		ELECTRIC	

## Fireframes



ABRI

CAPELLA

### ABRI & CAPELLA FIREFRAMES

- FINISHES:
- ANTIQUE BRASS
  - BLACK
  - BRONZE
  - CHROME
  - POLISHED



FLARE

MIZAR

### FLARE & MIZAR FIREFRAMES

- FINISHES:
- ANTIQUE BRASS
  - BLACK
  - BRONZE
  - CHROME
  - POLISHED




PROVIDENT FIREFRAME HIGHLIGHT


## Standard Trim finishes




## Fret options



## Gradient Trim finishes



## Flat Trim finishes



FIRE	TECHNICAL				CERAMICS		FIREFRAMES				GRADIENT TRIM		STANDARD TRIM			FLAT TRIM		FRETS					
	INPUT	MAX. OUTPUT	INSET DEPTH	MAX. EFFICIENCY	COALS	PEBBLES	ABRI	CAPELLA	FLARE	MIZAR	ANTIQUE BRASS	SATIN STEEL	BLACK	ANTIQUE BRASS	BRUSHED STAINLESS STEEL	POLISHED STAINLESS STEEL	DIAMOND BLACK	ANTIQUE BRASS	BRUSHED STAINLESS STEEL	POLISHED STAINLESS STEEL	16" BAUHAUS	18" BAUHAUS	BLENHEIM
OPEN FRONTED CONVECTOR GAS FIRE (CLASS 1)	6.9kW	4.0kW	235mm	64.8%	✓	✓	✓	✓	✓	✓				✓	✓	✓	✓	✓			✓	✓	✓
OPEN FRONTED CONVECTOR GAS FIRE (CLASS 2)	6.0kW	3.4kW	135mm	62.8%	✓	✓	✓	✓	✓	✓				✓	✓	✓	✓	✓			✓	✓	✓
GLASS FRONTED CONVECTOR (SLIDE CONTROL)	5.0kW	4.4kW	185mm	88.7%	✓		✓	✓	✓	✓				✓	✓	✓	✓	✓			✓	✓	✓
GRADIENT GLASS FRONTED CONVECTOR (SLIDE CONTROL)	5.5kW	3.5kW	195mm	79.5%	✓						✓	✓	✓								✓	✓	✓
BALANCED FLUE GAS FIRE	3.8kW	2.8kW	145mm	75.0%	✓														✓		✓		
DECORATIVE OPEN FRONTED GAS FIRE	6.9kW	3.5kW	245mm	50.0%	✓	✓								✓	✓	✓	✓	✓			✓	✓	✓
PLANAR ELECTRIC INSET FIRE (REMOTE CONTROL)	1.5kW	1.5kW	75mm	99.0%	✓														✓	✓	✓	✓	✓
ELECTRIC INSET FIRE (REMOTE CONTROL)	2kW	2kW	75mm	98.0%	✓	✓								✓	✓	✓	✓	✓			✓	✓	✓