


THE GALLERY COLLECTION



Original Gallery Collection products are  (anti copying in design) registered, and are therefore protected by UK design right. We will not compromise on quality, neither should you, so in order for you to receive products manufactured to the highest possible standards, insist only on a genuine Gallery Collection Fireplace.



DEALER STAMP

www.galleryfireplaces.co.uk

THE GALLERY COLLECTION



WELCOME TO THE GALLERY COLLECTION

The Gallery Collection presents an extensive range of traditional and contemporary fireplaces, combining supreme craftsmanship, quality materials and elegance in design.


Our desire is to provide you with a superb choice of fireplaces skillfully made with high quality materials, all fitted in your home by reputable retailers so you can enjoy the experience of buying and owning your individual fireplace.

CONTENTS

- 03 ARCHES
- 16 COMBINATIONS
- 26 FASCIAS
- 28 TILED INSERTS
- 32 **HE** RANGE
- 37 ACCESSORIES - RANGE AT A GLANCE
- 38 MANTELS - RANGE AT A GLANCE
- 40 TILES - RANGE AT A GLANCE
- 41 INSET FIRES, TRIM & FRET AND FIREFRAME OPTIONS
- 42 CHIMNEY TYPES & INSERT SPECIFICATIONS
- 43 AFTER CARE & MAINTENANCE

Within this **FIREPLACES** brochure there is a unique selection of mantels and cast iron inserts. The chapters are arranged by the different types of cast iron inserts, with mantel surround and hearth options named in the text below each fireplace pictured. The complete range of mantels is illustrated on page 38 & 39.

Whether you would like to burn coal and wood, gas or install an electric fire then there will undoubtedly be something suitable within the pages of this brochure. **HE** (high efficiency gas) **Cast Iron products** combine traditional styling with the most efficient gas fires available to buy. Please check the selection grid at the back of the brochure or ask your retailer to help determine what products suit your particular circumstances. If your preferred combination of products is not shown, it does not mean they do not work together. There are many thousands of permutations and we are sure one of these will suit your taste.




CAST IRON QUALITY

All our cast iron products are manufactured to the highest standards in ISO 2002 accredited facilities. The quality and detail shown here is second to none. Not only is the casting quality first class, the finishing processes are carried out by highly trained craftsmen. This helps us to achieve a consistent and unrivalled offering to our valued customers. It is this application of skill and process that creates the high value products shown in **THE GALLERY COLLECTION** brochures.



BLACK FINISH

BLACK FINISH is a painted matt black finish. The black finish is the most appropriate for multi fuel applications as polished finishes can tarnish with high temperatures.



HIGHLIGHTED FINISH

HIGHLIGHTED FINISH is where certain elements of the casting are polished on a black painted background. Although suitable for use with multi fuel, highlight finish may tarnish with high temperatures.



FULL POLISHED

FULL POLISHED is, as the name suggests, where the entire product is polished. Although suitable for use with multi fuel, full polished finish may tarnish with high temperatures. CHROME FINISHES ARE NOT SUITABLE FOR MULTI FUEL FIRES.

KEY SYSTEM FOR FUEL TYPES

Many of our products can accommodate several different types of fire. With each product displayed in this brochure, we will explain the particular fire that is shown as well as indicate what alternative options are available using a key system. See below for a guide to the key system.



DEEPER BACK



ELECTRIC



GAS FIRE



HIGH EFFICIENCY
GAS FIRE



MULTI FUEL

FRONT COVER IMAGE: THE BROMPTON 56 IN AGEAN LIMESTONE WITH THE HE JUBILEE ARCH (OPEN FRONTED CONVECTOR) AND GRANITE HEARTH
BACK COVER IMAGE: THE CELTIC FULL POLISHED WITH DECORATIVE GAS FIRE AND SLATE HEARTH



HE Jubilee half polished

MANTEL: DELECTION 52 AGEAN LIMESTONE,

FIRE: HE GLASS FRONTED CONVECTOR, HEARTH: 54" GRANITE



REGAL highlight

MANTEL: BROMPTON 51 AGEAN LIMESTONE, **FIRE:** DECORATIVE GAS FIRE WITH CERAMIC FIREWOOD, **HEARTH:** 51" SLATE




CORONET black

MANTEL: BEDFORD 48 PINE, **FIRE:** REAL LOGS, **HEARTH:** 48" SLABBED GRANITE FOR MULTI FUEL



SUTTON half polished

MANTEL: HENLOW 48 AGEAN LIMESTONE, **FIRE:** DECORATIVE GAS FIRE WITH CERAMIC COALS, **HEARTH:** 51" SLATE



CORONET half polished

MANTEL: BROMPTON 51 AGEAN LIMESTONE, **FIRE:** DECORATIVE GAS FIRE WITH CERAMIC COALS, **HEARTH:** 51" SLATE



DEGM

JUBILEE highlight

MANTEL: BROMPTON 56 AGEAN LIMESTONE,

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS HEARTH: 54" SLATE



EGM

HENLEY highlight

MANTEL: KINGSTON 56 CARRARA MARBLE,

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, HEARTH: 54" GRANITE




CROWN black

MANTEL: GRAND CORBEL 54 PINE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, HEARTH: 54" BEVELLED GRANITE



CROWN full polished

MANTEL: BROMPTON 56 CARRARA MARBLE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, HEARTH: 54" SLATE



CROWN half polished

MANTEL: ASQUITH 55 AGEAN LIMESTONE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, HEARTH: 54" HONED GRANITE



BOLTON highlight

MANTEL: RICHMOND 54 AGEAN LIMESTONE,
FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS,
HEARTH: 54" GRANITE



LYTTON highlight

MANTEL: PALMERSTON 54 CAST IRON FULL POLISHED,
FIRE: DECORATIVE GAS FIRE WITH CERAMIC LOGS,
HEARTH: 54" GRANITE



RADLEY highlight

MANTEL: MODENA 55 AGEAN LIMESTONE,
FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS,
HEARTH: 54" GRANITE



LANDSDOWNE highlight

MANTEL: CLARENDON 56 AGEAN LIMESTONE,
FIRE: DECORATIVE GAS FIRE WITH CERAMIC LOGS, **HEARTH:** 54" BEVELLED GRANITE



DEGM
LYTTON *highlight*

MANTEL: BARTELLO 54 AGEAN LIMESTONE,
FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, HEARTH: 54" GRANITE



DEGM
JUBILEE *highlight*

MANTEL: EVESHAM 56 (SHOWN WITH REMOVABLE FRIEZE) AGEAN LIMESTONE,
FIRE: REAL COAL (SHOWN WITH DEEPER BACK FOR LARGER BURNING AREA), HEARTH: 56" SLABBED GRANITE FOR MULTI FUEL



TRADITION *highlight*

MANTEL: CHISWICK 56 AGEAN LIMESTONE,
FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS,
HEARTH: 56" GRANITE




FITZWILLIAM *highlight*

MANTEL: KINGSTON 63 CARRARA MARBLE,
FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS,
HEARTH: 60" GRANITE



TRADITION *black*

MANTEL: BROMPTON 60 AGEAN LIMESTONE,
FIRE: REAL COAL, **HEARTH:** 60" SLABBED
GRANITE FOR MULTI FUEL,



GLOUCESTER *highlight*

MANTEL: CHISWICK 56 CARRARA MARBLE,
FIRE: REAL COAL, **HEARTH:** 54" SLABBED GRANITE FOR MULTI FUEL

Shelf: 36"



CELTIC *black*

FIRE: REAL LOGS

HEARTH: 36" SLABBED GRANITE




Shelf: 36"



CELTIC *highlight*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 36" GRANITE



CELTIC *full polished (Shelf 36")*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, HEARTH: 36" SLATE

Shelf: 36"



TREGARON *highlight*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 36" GRANITE



Shelf: 48"



PEMBROKE *full polished*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC FIREWOOD,

HEARTH: 48" GRANITE



PEMBROKE *black (shelf 48")*

FIRE: REAL LOGS (SHOWN WITH DEEPER BACK FOR LARGER BURNING AREA),

HEARTH: 48" SLABBED GRANITE FOR MULTI FUEL

COMBINATIONS

Shelf: 32"

NOTTAGE *black*

FIRE: REAL LOGS

HEARTH: 32" BESPOKE SLABBED GRANITE FOR MULTI FUEL



BARCELONA full polished (*shelf 36"*)

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 36" GRANITE



NOTTAGE *highlight* (*shelf 32"*)

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 32" BESPOKE GRANITE



BARCELONA black (*shelf 36"*)

FIRE: REAL LOGS

HEARTH: 36" SLABBED GRANITE FOR MULTI FUEL

COMBINATIONS

Shelf: 36"



EDINBURGH *black*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS
HEARTH: 36" GRANITE



Shelf: 36"



EDINBURGH *highlight*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS
HEARTH: 36" GRANITE



Shelf: 32"



DAISY *highlight*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS
HEARTH: 32" GRANITE



Shelf: 36"




PARIS *highlight*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS
HEARTH: 36" SLATE



EDINBURGH *full polished (Shelf 36")*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, HEARTH: 36" GRANITE



FULHAM *highlight (shelf 32")*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, TILES: HONEYSUCKLE GREEN, HEARTH: 32" BESPOKE GRANITE

Shelf: 42"



AMSTERDAM *black*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC PEBBLES,
TILES: JAZZ HONEY/YELLOW, HEARTH: 48" SLATE



Shelf: 42"



AMSTERDAM *highlight*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC PEBBLES,
TILES: TULIP BLUE / IVORY, HEARTH: 48" SLATE



Shelf: 48"



EDWARDIAN *black*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC PEBBLES,
TILES: WARWICK EMPRESS RED, HEARTH: 48" GRANITE



EDWARDIAN *full polished (Shelf 48")*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, TILES: VICTORIAN FLOCK BURGUNDY, HEARTH: 48" GRANITE



CHAMBERLAIN highlight

MANTEL: CHISWICK 56 AGEAN LIMESTONE,
FIRE: OPEN FRONTED GAS CONVECTOR FIRE WITH CERAMIC COALS
& AURORA FIREFRAME CHROME FINISH, **HEARTH:** 54" BEVELLED GRANITE



MONROE highlight

MANTEL: CLARENDON 56 AGEAN LIMESTONE,
FIRE: OPEN FRONTED GAS CONVECTOR FIRE WITH CERAMIC COALS
& LUNAR FIREFRAME HIGHLIGHT, **HEARTH:** 54" HONED GRANITE



HAMILTON highlight

MANTEL: DELECTION 56 AGEAN LIMESTONE, **FIRE:** HIGH EFFICIENCY GLASS FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL) WITH CERAMIC COALS & BRUSHED STEEL TRIM AND BAUHAUS 16" FRET POLISHED, **HEARTH:** 60" GRANITE

TILED INSERTS

Shelf: 54"



SOVEREIGN black
 MANTEL: WORCESTER 54 PINE,
 FIRE: REAL COAL, TILES: VICTORIAN FLOCK CREAM,
 HEARTH: 54" SLABBED GRANITE FOR MULTI FUEL
 EGM

Shelf: 55"



SOVEREIGN full polished
 MANTEL: MODENA 55 AGEAN LIMESTONE,
 FIRE: REAL COAL, TILES: JAZZ LILAC / IVORY,
 HEARTH: 54" EBONY BLACK TILED FOR MULTI FUEL
 EGM

Shelf: 51"



PRINCE full polished
 MANTEL: BROMPTON 51 AGEAN LIMESTONE,
 FIRE: DECORATIVE GAS FIRE WITH CERAMIC CHARCOAL,
 TILES: LAVENHAM VELVET, HEARTH: 51" GRANITE
 EGM

Shelf: 54"



TOULOUSE highlight
 MANTEL: PALMERSTON 54 CAST IRON BLACK,
 FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS,
 TILES: VICTORIAN FLOCK BURGUNDY, HEARTH: 54" SLATE
 EGM



PRINCE black
 MANTEL: BEDFORD 48 PINE, FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, TILES: VICTORIAN FLOCK BLACK, HEARTH: 48" SLATE
 EGM

TILED INSERTS

Shelf: 56"



NORTHMOOR highlight
 MANTEL: BROMPTON 56 AGEAN LIMESTONE,
 FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS,
 TILES: VICTORIAN FLOCK BLACK, HEARTH: 54" SLATE
 EGM

Shelf: 54"



TULIP highlight
 MANTEL: LINCOLN 54 PINE,
 FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS,
 TILES: TULIP YELLOW / IVORY, HEARTH: 54" SLATE
 EGM

Shelf: 53"



TOULOUSE black
 MANTEL: HOWARD 53 OAK,
 FIRE: REAL COAL, TILES: TIFFANY BURGUNDY WITH BURGUNDY
 SPACERS, HEARTH: 54" SLABBED GRANITE FOR MULTI FUEL
 EGM



EGM
TOULOUSE highlight
 MANTEL: STOURHEAD 56 AGEAN LIMESTONE,
 FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS, TILES: JAZZ BURGUNDY / IVORY, HEARTH: 54" WATERFALL GRANITE

THE **HE** BRAND HAS BEEN DESIGNED TO DELIVER EFFICIENT GAS FIRES WITHIN MORE TRADITIONAL AND SOMETIMES ORNATE CAST IRON FIREPLACES.

We have sought from the design stage to combine the two critical components, the fires and the cast iron surrounds in unison to deliver an aesthetically pleasing integrated appliance that offers you a choice of gas fire and one of the best fuel efficiencies for any integrated appliance on the market.

ALL CAST IRON COMPONENTS
FIT WITHIN A 3" REBATE





HE JUBILEE highlight

MANTEL: BROMPTON 56 AGEAN LIMESTONE,
FIRE: HE GLASS FRONTED CONVECTOR, HEARTH: 56" GRANITE



HE LYTTON highlight

MANTEL: BARTELLO 54 AGEAN LIMESTONE,
FIRE: HE BALANCED FLUE, HEARTH: 56" GRANITE



HE PEMBROKE highlight (shelf 48")
FIRE: HE OPEN FRONTED CONVECTOR HEARTH: 48" GRANITE



HE TOULOUSE highlight

MANTEL: MODENA 55 AGEAN LIMESTONE, FIRE: HE OPEN FRONTED CONVECTOR,
TILES: JAZZ YELLOW/IVORY, HEARTH: 54" GRANITE

ACCESSORIES - RANGE AT A GLANCE

CERAMICS

Many of our fires have a choice of ceramic fuel as can be seen below, Coal is the standard with the others being optional extras




BUCKETS


All sizes in millimetres




SCREENS



COMPANION SETS



MANTELS - RANGE AT A GLANCE




TILES - RANGE AT A GLANCE

TUBE LINE TILES




JAZZ
Honey / Yellow*



JAZZ
Burgundy / Ivory*




JAZZ
Yellow / Ivory*



JAZZ
Lilac / Ivory*




SWEEPING ROSE
Yellow / Ivory*



TIFFANY
Burgundy with
Burgundy Spaces



TULIP
Burgundy / Ivory



TULIP
Blue / Ivory



TULIP
Yellow / Ivory



HASLINGDEN
Burgundy / Ivory



JULY
Yellow / Ivory*



ARGYLL
Red / Ivory*

TRANSFER TILES



HONEYSUCKLE
Green



VICTORIAN FLOCK
Black



VICTORIAN FLOCK
Burgundy



VICTORIAN FLOCK
Cream




LAVENHAM
Velvet



LAVENHAM
Amethyst



LAVENHAM
Scarlet



WARWICK
Empress Red

INSET FIRES, TRIM & FRET AND FIREFRAME OPTIONS

We have a comprehensive range of inset fires, including high efficiency gas convector fires and realistic flame effect electric fires. Take a look at our available Trim & Frets and Fireframes then check the table at the bottom of the page for fire compatibilities.



fireframe: **AURORA**
chrome finish
Also available in BLACK or
ANTIQUE BRASS FINISH



fireframe: **LUNAR**
highlighted



fireframe: **SOLARIS**
antique brass finish
Also available in BLACK OR
CHROME FINISH



trim: BLACK
fret: **BALTIMORE**
black



trim: POLISHED
fret: **BALTIMORE**
chrome finish



trim: ANTIQUE BRASS FINISH
fret: **BAUHAUS 16"**
antique brass finish



trim: BLACK
fret: **BAUHAUS 16"**
black



trim: POLISHED
fret: **BAUHAUS 16"**
chrome finish
Also available in polished fret



trim: DIAMOND BLACK
fret: **BAUHAUS 18"**
diamond black



trim: ANTIQUE BRASS FINISH
fret: **BLENHHEIM**
antique brass finish



trim: POLISHED
fret: **BLENHHEIM**
highlight



trim: BLACK
fret: **CLEVEDON**
black



trim: BRUSHED STAINLESS STEEL
fret: **CLEVEDON**
polished



trim: BLACK
fret: **EMPEROR**
black



trim: BRUSHED STAINLESS STEEL
fret: **EMPEROR**
polished

FIRE	TECHNICAL				CERAMICS		FIREFRAMES			FRETS (+TRIMS)					
	INPUT	OUTPUT	INSET DEPTH	MAX. EFFICIENCY	COALS	PEBBLES	AURORA	LUNAR	SOLARIS	16" BAUHAUS	18" BAUHAUS	CLEVEDON	EMPEROR	BALTIMORE	BLENHHEIM
CLASS 1 OPEN FRONTED CONVECTOR GAS FIRE	6.9Kw	4.0kW	235mm	64.5%	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
CLASS 2 OPEN FRONTED CONVECTOR GAS FIRE	6.0Kw	3.4kW	135mm	61%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
GLASS FRONTED CONVECTOR (SLIDE CONTROL)	5.0Kw	4.4kW	185mm	88.8%	✓		✓	✓	✓	✓	✓		✓		
DECORATIVE OPEN FRONTED GAS FIRE	6.9Kw	3.5kW	245mm	50%	✓	✓				✓	✓	✓	✓	✓	✓
INSET ELECTRIC FIRE (REMOTE CONTROL)	2.0Kw	2.0kW	75mm	100%	✓	✓				✓	✓	✓	✓	✓	✓

CHIMNEY TYPES & INSERT SPECIFICATIONS

CHIMNEY TYPES
CLASS 1




Commonly in older houses, earlier than 1960. The Class 1 chimney is identifiable by 7" (180mm) or greater diameter flue. The existing chimney must be structurally sound, please check before the installation of a new fireplace.

CLASS 2




Either an older house where the existing chimney has been lined by a proprietary steel flue or a newer house with a steel flue built in. This chimney type is identifiable by a 5" (130 mm) diameter flue and a steel flue terminal.

PRE-CAST FLUE



Modern houses generally later than 1960 often have a pre-cast concrete chimney system, identifiable by a rectangular box section flue and a terminal, as illustrated in the picture.

NO CHIMNEY




Modern houses often have no chimney. You can use a modern decorative electric fire with up to 2kW heat output, or a gas powerflue fire, or a balanced flue fire.

DIMENSIONS & FIRES	FINISH			INSERT SIZES (All dimensions in mm)											GAS		PRECAST	POWERFLUE	BALANCED FLUE	ELECTRIC	
	BLACK	HIGHLIGHT	POLISHED	A	B	C	D	E	F	G	H	CAST BACK AVAILABLE	FOR STANDARD BACK			CLASS 1					CLASS 2
													I	J	K						
INSERT																					
AMSTERDAM	✓	✓		940	1170	405	570				1065	✓	660	900	315	✓	✓		✓		
BARCELONA	✓		✓	785	990	345	595				915	✓	410	600	160	✓	✓		✓		
BOLTON		✓		940	940	450	545	785	825	40		✓	560	720	165	✓	✓	✓	✓		
CELTIC*	✓	✓	✓	830	1005	450	660				915	✓	560	720	165	✓	✓		✓		
CHAMBERLAIN			✓	965	965	730	740	835	875	25						✓	✓	✓	✓		
CORONET	✓	✓		930	925	370	670	650	800	75		✓	455	700	160	✓	✓		✓		
CROWN*	✓	✓	✓	940	940	430	660	835	855	75		✓	560	720	165	✓	✓		✓		
DAISY			✓	710	970	340	595				760		410	600	160	✓	✓		✓		
EDINBURGH	✓	✓		785	990	340	525				915	✓	410	645	150	✓	✓		✓		
EDWARDIAN	✓		✓	1105	1220	415	545				1220	✓	470	615	200	✓	✓		✓		
FITZWILLIAM			✓	1050	1030	755	720	925	925	75		✓	965	750	330	✓	✓		✓		
FULHAM			✓	740	1145	340	570				915	✓	630	920	250	✓	✓		✓		
GLOUCESTER			✓	1015	1015	590	700	785	870	40		✓	725	750	330	✓	✓		✓		
HAMILTON			✓	940	940	425	570	790	850	75						✓	✓		✓		
HENLEY	✓			940	940	445	660	785	825	65		✓	560	720	165	✓	✓		✓		
HERITAGE			✓	965	965	425	575	890	845	25						✓	✓		✓		
JUBILEE*			✓	945	940	450	670	790	830	60		✓	560	720	165	✓	✓		✓		
HE JUBILEE			✓	940	940	455	680	800	855	75						✓	✓	✓	✓		
LANDSDOWNE			✓	960	960	450	685	800	840	75		✓	620	725	210	✓	✓		✓		
LYTTON*	✓		✓	940	940	445	660	785	825	40		✓	560	720	165	✓	✓		✓		
HE LYTTON			✓	940	940	455	680	800	855	75						✓	✓	✓	✓		
MONROE			✓	965	965	425	570	840	830	65						✓	✓		✓		
NORTHMOOR			✓	940	940	410	560	850	875	75		✓	470	615	200	✓	✓		✓		
NOTTAGE	✓		✓	660	980	365	660				810	✓	455	700	160	✓	✓		✓		
PARIS			✓	840	1015	340	545				915		410	600	160	✓	✓		✓		
PEMBROKE*	✓		✓	1040	1040	445	660				1205	✓	560	720	165	✓	✓		✓		
HE PEMBROKE			✓	990	1040	455	680				1050					✓	✓	✓	✓		
PRINCE	✓		✓	940	940	340	560	740	860	75		✓	410	600	160	✓	✓		✓		
RADLEY*	✓		✓	965	965	430	660	790	835	65		✓	560	720	165	✓	✓		✓		
REGAL			✓	930	925	365	660	650	800	75		✓	455	700	160	✓	✓		✓		
SOVEREIGN	✓		✓	940	940	405	560	875	900	75		✓	470	615	200	✓	✓		✓		
SUTTON			✓	930	925	370	545	650	800	75		✓	455	700	160	✓	✓		✓		
TOULOUSE	✓		✓	940	940	395	545	845	865	75		✓	470	615	200	✓	✓		✓		
HE TOULOUSE			✓	960	940	445	490	885	885	75						✓					
TRADITION	✓			965	965	430	610	890	830	100		✓	550	620	235	✓			✓		
TREGARON			✓	840	1005	445	545				915	✓	560	720	165	✓	✓	✓	✓		

NOTES:

- * Available with deeper back (as optional extra) for larger burning area
- All products (except chrome finish) are suitable for burning solid fuel, however polished and highlighted products may tarnish. Only burn small fires to start with in order to temper the cast iron.
- Before committing to a fireplace, please discuss your particular installation with your retailer who will provide expert advice and carry out a survey.
- All dimensions are provided as a guide only and are subject to a tolerance of ± 12mm.
- It is normal for tiles to craze over time.
- Most fires have a remote control option, please ask your retailer.



AFTER CARE & MAINTENANCE

Understanding your new gallery fireplace.



CAST IRON
All the cast iron products are delivered with a protective, oil-based coating on polished surfaces. This should be cleaned off during installation. It

is recommended that a spray-type oil is applied from time to time in order to avoid surface rust appearing. Ensure that the room in which the cast iron product is being installed is thoroughly dry. For example recently plastered walls cause high levels of moisture in the atmosphere and, as a result, rust is likely to occur.

Under no circumstances should a water-based cleaner or polish be used to clean cast iron products.

When using ceramic fuel, ensure that these do not touch any of the polished surfaces as this will help to minimise the possibility of thermal discolouration.

High temperature paint is used on the black and graphite products where fires will burn. This paint will eventually burn off. A proprietary, high temperature paint can be used to recoat your fireplace. Such paint is available from your retailer. Its your responsibility to burn smoke free fuels if you live in a smoke free zone.

There are some very high temperature burning fuels which can cause damage to any fireplace. Please refer to the Solid Fuel Association (www.solidfuel.co.uk) recommendations and use an approved coal merchant as your supplier. No responsibility can be accepted if high temperature fuels have been used or if there is excessive draft. If in doubt we recommend the use of a clay fire back.

Clean ash away regularly as a build up beneath the fire will cause the grate to burn out quickly. The grate is a consumable part of your fire and will need replacement from time to time, depending on the frequency and burning temperature of your fires.



GAS FIRES
A gas fire is a technical piece of equipment and, just like a gas boiler needs regular servicing. Please ensure that you have your gas fire serviced regularly by a


Gas Safe Register (Board Gais in ROI) registered installer.



LIMESTONE
Limestone products, once installed and dry should be cleaned and re-sealed where necessary using Gallery Collection aftercare

products. All our limestone products are delivered pre-sealed in order to minimise any marks created during fitting. Your installer should carry out the initial sealing where applicable. Further sealing should not be necessary.

The stone mantels pictured are manufactured from 100% natural material. As such the mantel you will purchase will be unique due to the inevitable variations in fossil formation, veining and colour. This is one of the great attractions of 100% pure natural products. Please be aware that small fossils and variations in the limestone are part and parcel of this wonderful natural product.



MARBLE
Marble products may have small amounts of colour-matched filler to give the impression of a continuous surface. The nature of marble is

such that when it is formed in the earth, some small cracks are created too. The marble that is selected for the mantels shown in this brochure has been chosen to provide affordable quality, thus some minor cracks have been permitted. To achieve a perfect piece of marble with no imperfections at all means a huge amount of wastage. This has two principal effects, the product becomes prohibitively expensive and the natural resources are depleted too quickly - a much more harmful approach to the world's environment.

General information

- The colours shown in the brochures are as accurate as possible, but if the colour you require is critical then please consult your retailer before basing all your decisions on the colours shown here.
- Please also note that shading and crazing are characteristics of the glazed tiles used in tiled inserts and tiled hearths.
- There are occasions when designs, or products are altered or discontinued without prior notice (a reserved right), so if you are about to set your heart on a particular fireplace, please consult your retailer before making that final commitment
- All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, in particular, Approved Document J. There are independent bodies which have been approved to carry out installations in accordance with these regulations.

For gas installations the most recognised independent body is Gas Safe Register (Board Gais in ROI) and for solid fuel installations it is HETAS.

Please confirm with your retailer that your new fireplace will be installed appropriately. If you have your new fireplace fitted by a Gas Safe Register (Board Gais in ROI) or HETAS registered fitter you will be given a certificate stating that your installation has been carried out in accordance with the Building Regulations. If you do not have one of these certificates then you will have to arrange for your local Building Control Officer to inspect your installation and approve it.

PLEASE NOTE

- Your Gallery fireplace is made up of a number of different components and it is important to ensure that your installer has the necessary qualifications and experience to fit ALL the components of a fireplace.

- Variations in colour, veining and fossil formation in natural products are not considered defects, however in the unlikely event that there is a defect in any of the products shown in this brochure, then a replacement will be supplied without hesitation. Of course, this requires the products to be fully inspected prior to installation

as no responsibility for re-fitting or redecoration can be accepted if defective products have been installed. In this case and in the case of accidental damage after installation, in-situ repairs can be made by specialists, subject to prior agreement of terms with your retailer.

MANTEL SIZES

Real stone has long been a distinctive material for fireplace mantels. As these are natural products each one will be unique, please visit your local Gallery retailer to see samples of the real thing. For dimensions please refer to the table below.



AGEAN LIMESTONE CARRARA MARBLE OAK PINE CAST IRON

MANTEL SIZES (All sizes in mm)

STONE	A	B	C	D	E	F	G
ASQUITH 55"	1405	1235	915	915	1235	215	75
BARTELO 54"	1370	1165	910	910	1255	200	75
BROMPTON 51" *	1295	1110	865	890	1195	200	75
BROMPTON 56" *	1420	1135	915	915	1335	200	75
BROMPTON 60" *	1525	1160	965	930	1425	200	75
CHISWICK 56"	1420	1120	915	915	1305	230	75
CLARENDON 56" *	1420	1135	915	915	1335	200	75
DELECTION 52"	1320	1120	915	915	1330	170	75
DELECTION 56"	1420	1170	915	915	1430	185	75
EVESHAM 56"	1420	1240	915	915	1315	200	75
GENOA 44"	1120	1015	815	840	1120	125	25
HENLOW 48"	1220	1100	815	890	1145	200	25
KINGSTON 56" *	1420	1135	880	915	1280	260	75
KINGSTON 63" *	1600	1235	1005	1005	1505	260	75
MODENA 55"	1405	1135	915	915	1235	215	75
RICHMOND 54" *	1370	1155	915	915	1260	220	75
SIENNA 51"	1295	1085	865	865	1195	200	75
SIENNA 54"	1370	1125	865	865	1270	200	75
STOURHEAD 56" *	1420	1135	915	915	1335	230	75
WOBURN 54"	1370	1155	865	915	1270	200	75
TIMBER	A	B	C	D	E	F	G
PINE BEDFORD 42"	1065	1105	710	850	990	220	25-75
PINE BEDFORD 48"	1219	1180	865	915	1145	215	25-75
PINE BEDFORD 54"	1370	1195	915	915	1260	215	25-75
PINE DANESBURY 54"	1370	1175	900	900	1245	190	25-75
PINE GRAND CORBEL 54"	1370	1180	915	915	1260	215	25-75
PINE GRAND CORBEL 60"	1525	1180	915	915	1345	222	25-75
OAK HOWARD 53"	1345	1195	920	915	1265	170	25-75
PINE LINCOLN 48"	1220	1130	840	890	1145	180	25-75
PINE LINCOLN 54"	1370	1155	915	915	1245	180	25-75
PINE ROUNDEL 44"	1120	1040	725	825	1005	150	25
PINE WORCESTER 54"	1370	1180	915	915	1245	190	25-75
CAST IRON							
PALMERSTON 54"	1370	1270	915	915	1220	260	75

All dimensions are ±12mm.
* These mantels have the added benefit that the legs can be moved further apart by up to 50mm if required

MANTEL SIZE KEY

